




# T-type-i 110

For wood doors






- Opening angle 110°
- Drilling diameter for hinge cup 35mm
- Drilling depth 12mm
- Hinge on plate mounting system 3Way snap-on



Technical details

Cup type	Interaxis 45mm	Interaxis 48mm
Item number		

Cranking  
0mm






150 Pcs Made of steel

	701-0AT0-054	701-0AS0-054
	701-0AT1-054	701-0AS1-054
	701-0AT4-054	701-0AS4-054

Drilling patterns for hinge cups → see page 2.17

Cranking  
5mm



150 Pcs Made of steel

	701-0BT0-054	701-0BS0-054
	701-0BT1-054	701-0BS1-054
	701-0BT4-054	701-0BS4-054

Drilling patterns for hinge cups → see page 2.17

## Mounting plates



Cam adjustable cruciform mounting plate  
→ see page 2.81



Cruciform mounting plate  
→ see page 2.83




Cam adjustable linear mounting plate  
→ see page 2.81



Face frame adapter plate  
→ see page 2.83

## Hinge cup screws

If not pre-mounted



820-6328-050

10000 Pcs

## Accessories



Cover caps for hinge arm  
→ see page 2.177




Hinge angle restrictor  
→ see page 2.175

## Legend of hinge cup symbols


Screw-on ready  
← screws

Machine insertion ready


EasyFix system



Damping adjustment





Door adjustment




For further explanation → see page 2.25

For further explanation → see pages 2.22-2.24

Mounting details



Mounting plate drilling distance






Mounting plate thickness table

For further explanation → see page 2.13

X	13	14	15	16	17	18	19
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0

$D=13+K-X$

Drawings show application on D=0mm mounting plate



X	8	9	10	11	12	13	14
3	3	2	1	0			
4	4	3	2	1	0		
K							
5		4	3	2	1	0	
6			4	3	2	1	0

$D=8+K-X$

Drawings show application on D=0mm mounting plate


Touch opening



PushOpen Solutions  
→ see pages 2.199-2.204

Door clearance at R=1mm

For further explanation → see page 2.14



V	16	17	18	19	20	21	22	23	24	25	26
3	0.5	0.7	0.8	1	1.2	1.5	1.7	2.1	2.8	4.1	5.5
4	0.4	0.7	0.8	1	1.2	1.5	1.7	2.1	2.3	3.1	4.5
K											
5	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	3.5
6	0.4	0.6	0.7	0.9	1.1	1.4	1.6	2	2.2	2.6	2.9

Gap  $Z_{MIN}=0$